Hydrobiologia

The International Journal on Limnology and Marine Sciences

Contents

Volume 394

Opinion

Through the jungle of phylogenetic trees
by I. Schön 1–4

Mercury concentration in the sediment at different gold prospecting sites along the Carmo stream, Minas Gerais, Brazil, and frequency of resistant bacteria in the respective aquatic communities
by L. Cursino, S.M. Oberdá, R.V. Cecílio, R.M. Moreira, E. Chartone-Souza & A.M.A. Nascimento 5–12

Factors related to autotrophic potamoplankton, heterotrophic protists and micrometazoan abundance, at two sites in a lowland temperate river during low water flow
by N. Lair, V. Jacquet & P. Reyes-Marchant 13–28

Shifts in postembryonic somatic ploidy levels in *Daphnia pulex*
by M.J. Beaton & P.D.N. Hebert 29–39

Temporal and spatial variability in streams of a pampean basin
by C.S. Feijoó, A. Giorgi, M.E. García & F. Momo 41–52

Effects of intermittent halogenation on settlement, survival and growth of the zebra mussel, *Dreissena polymorpha*
by J.R. Bidwell, D.S. Cherry, J.L. Farris, J.C. Petrille & L.A. Lyons 53–62

Fauna vs flora contribution to the leaf epiphytes biomass in a *Posidonia oceanica* seagrass bed (Revellata Bay, Corsica)
by G. Lepoint, S. Havelange, S. Gobert & J.-M. Bouquegneau 63–67

The response of benthic algae to manipulations of light in four acidic lakes in northern Michigan
by R.W. Pillsbury & R.L. Lowe 69–81

Patterns in invertebrate and periphyton size distributions from navigation buoys in the St. Lawrence River
by V. Mercier, C. Vis, A. Morin & C. Hudon 83–91

Long-term phytoplankton changes in acid and limed lakes in SW Sweden
by E. Hörnström 93–102

Metal content in *Enteromorpha linza* (Linnaeus) in Thermaikos Gulf (Greece)
by P. Malea & S. Haritonidis 103–112

The free-living nematodes of a temperate, high energy, sandy beach: faunal composition and variation over space and time
by W.L. Nicholas & M. Hodda 113–127

In situ measurement of productivity and respiration in aquatic systems by a new box incubation method
by S.C. Deb, K. Matsushige, T. Fukushima, M. Ikei & N. Ozaki 129–144

Redescription of *Heliodiaptomus elegans* Kiefer, 1935, a rare south-east Asian calanoid copepod
by Y.R. Reddy & H.J. Dumont 145–152

Assessment of the long-term effectiveness of sediment dredging to reduce benthic phosphorus release in shallow Lake Müggelsee (Germany)
by A.Kleeberg & J.-G. Kohl 153–161
Comparison of intraspecific genetic variability in four common cyprinids, *Abramis brama, Abramis bjoerkna, Rutilus rutilus* and *Scardinius erythrophthalmus*, within and between lowland river systems
by C. Wolter 163–177
Larval development, emergence and seasonal regulation in *Asiagomphus pryeri* (Selys) (Odonata: Gomphidae)
by T. Aoki 179–192
Seasonal occurrence of juvenile prawn and environmental factors in a *Rhizophora* mangal, southeast coast of India
by N. Rajendran, K. Kathiresan 193–200
The effects of chlorpyrifos on cholinesterase activity and foraging behavior in the dragonfly, *Anax junius* (Odonata)
by S.K. Brewer & G.J. Atchison 201–208
Performance of some diversity and biotic indices in rivers affected by coal mining in northwestern Spain
by F. García-Criado, A. Tomé, F.J. Vega & C. Antolín 209–217
The restoration of Lake Apopka in relation to alternative stable states
by R.W. Bachmann, M.V. Hoyer & D.E. Canfield, Jr. 219–232
Ecological effects of the mass occurrence of the Ponto–Caspian invader, *Hemimysis anomala* G.O. Sars, 1907 (Crustacea: Mysidacea), in a freshwater storage reservoir in the Netherlands, with notes on its autecology and new records
by H.A.M. Ketelaars, F.E. Lambregts-van de Clundert, C.J. Carpentier, A.J. Wagenvoort & W. Hoogenboezem 233–248

Short note
Morphological abnormalities of *Acartia lilljeborgi* (Copepoda, Crustacea) in the Espírito Santo Bay (E.S. Brazil)
by C. de Oliveira Dias 249–251

Books received 253–256

Book reviews 257–264

Correspondence
Comments on 'A Society for European Freshwater Scientists' 265–266

Author Index 267